

# Concert Systems

[www.concertsystemsllc.com](http://www.concertsystemsllc.com)

Organ Expression Series™

## Accent 6™



This exceptional loudspeaker in the Organ Expressions Series provides a more robust complement to the Ambience™ series in a slightly larger cabinet. The frequency response, sensitivity, power handling and sound quality mirror our other speaker selections with an added depth of field and presence in the lowest and highest frequency ranges.

Recommended for primary instrument applications or for reproducing the individual ranks of your organ, from the gentlest Aeolian or String Celeste, to the boldest Trumpet Sonora or English Horn.

A pair of Accent 6™ in combination with Accent Bass™ or our Dopple Bass™ or Traverse™ subwoofers also creates an effective two channel speaker system with sub-bass for a compact and very affective virtual pipe organ set up. Many combinations are possible to address to expand the various routing possibilities with virtual pipe organs.

The quality construction and components used to create the Accent 6™ assures years of continuous, trouble-free use and enjoyment, long after the price has been forgotten.

# Concert Systems


www.concertsystemsllc.com

## Organ Expression Series™

### Accent 6™

#### Architectural Design and Engineering Specifications:

|                     |                                                             |
|---------------------|-------------------------------------------------------------|
| Exterior Finish:    | Piano Black, Cherry or Maple Veneer with Black Grill        |
| Dimensions:         | 17.0H/10.0W/12.5D (w/o grill)                               |
| Net Weight:         | 18 Lbs.                                                     |
| Loudspeakers:       | 6 inch High-Compliance Woofer                               |
| High frequency:     | 6 Inch Planar Transducer                                    |
| Frequency Dividing: | Passive 2-way, 2 <sup>nd</sup> Order Butterworth at 2.5 KHz |
| High Level Control: | N/A                                                         |
| Connectors:         | 5-way Binding Posts with 10 gauge wire capacity             |
| Frequency Range:    | 60Hz – 40,000Hz                                             |
| Sensitivity:        | 94db (1 Watt/1 Meter)                                       |
| Power Handling:     | 100 Watts RMS/200 Watts Program                             |
| Nominal Impedance:  | 8 Ohms                                                      |



#### Accent: 1/3 Octave Frequency Response Graph (Pending)

Products, images, concepts, descriptions and specifications outlined in this document are subject to change without notice on the basis of availability or continued improvements. Contact Organ Expressions or Concert Systems directly for updates and the latest information. Accent, Ambience 6, Dopple Bass and Traverse are Trademarks of ORGAN EXPRESSIONS.

